

***Best-Rite 18" x 24"  
Rubber Tak Bulletin  
Board with Euro Trim***

Product Spec Sheet



*Provided by*

**MyBinding.com**  
*When Image Matters.*

Call Us at 1-800-944-4573

# Rubber-Tak<sup>®</sup> Tackboard

with Euro<sup>®</sup> Trim

**Elegant Euro Trim**  
anodized aluminum with  
curved corner caps



**50 Year**  
Limited  
Warranty




PRODUCT CERTIFIED  
FOR LOW CHEMICAL  
EMISSIONS:  
UL.COM/GG  
UL 2818



95 - Tan




96 - Black



97 - Blue



99 - Red<sup>†</sup>



104 - Green<sup>†</sup>

## Rubber-Tak<sup>®</sup> Tackboard - Euro<sup>®</sup> Trim

- Rubber-Tak<sup>®</sup> tackboards are made with recycled rubber, providing superior resilience and self-healing qualities.
- Rubber naturally resists most chemicals and stain- and odor-causing microbes, and is easy to clean and maintain.
- Virtually indestructible, Rubber-Tak<sup>®</sup> is an ideal choice for classrooms, hallways, auditoriums, gymnasiums and fitness areas, industrial spaces, and other high traffic areas, offering excellent sound and shock absorbency.
- Elegant Euro<sup>®</sup> Trim features lengths of extruded anodized aluminum joined with injection molded corner pieces.
- TAA compliant. Manufactured in the US of foreign and domestic materials. Fifty year limited warranty. Has achieved GREENGUARD GOLD Certification.

Part No.	Product Dimensions	Ship Wt.
<b>Rubber-Tak Tackboard - Euro Trim</b>		
321RA*	1.5'H x 2'W	5 lbs
321RB*	2'H x 3'W	10 lbs
321RC**	3'H x 4'W	17 lbs
321RD	4'H x 4'W	42 lbs
321RF	4'H x 5'W	50 lbs
321RG	4'H x 6'W	54 lbs
321RH	4'H x 8'W	66 lbs
321RK	4'H x 10'W	79 lbs
321RM	4'H x 12'W	114 lbs

\*Ships UPS \*\*Ships UPS OS1

<sup>†</sup>Color available while supplies last.

Shipping weights are listed on a per item basis and may vary based on quantities ordered. All boards listed as 3'H x 4'W actually measure 33.75"H x 48"W due to shipping restrictions.

Rev 01/11/17 RMC

## Rubber-Tak<sup>®</sup> Technical Information

- Rubber-Tak surfaces offer outstanding resiliency and tack holding properties.
- Surface resists most chemicals, stain- and odor-causing microbes, is easy to clean, and is sound- and shock-absorbent.
- The .06" thick rubber layer consists of recycled rubber and is permanently bonded to a .44" thick layer of lightweight tackable substrate.
- Boards are factory framed. Custom sizes are available.



WWW.MYBINDING.COM