

***Luxor RECLAIM Clear Acrylic
60" x 30" Tabletop Sneeze
Guard Desk Divider***

Sell Sheet



Provided by

MyBinding.com

When Image Matters.

Call Us at 1-800-944-4573

RECLAIM® ACRYLIC SNEEZE GUARDS

DIVTT

RECLAIM® ACRYLIC SNEEZE GUARD – Freestanding Tabletop/Desk Mount

As employees return to the workplace and students return to their schools, we must rethink our environments to help maintain separation and safe distancing.

Luxor's RECLAIM Acrylic Sneeze Guards are protective barriers that come in a variety of smart mounting options. No matter what workspace configuration you're trying to retrofit, we have a divider solution that offers easy installation and superior performance. Easy to clean and constructed of high-quality materials, RECLAIM separation panels are designed to work with your existing furniture, delivering a cost-effective alternative to the replacement of desks, tables, and cubicle walls

Our tabletop model offers a great option for breakrooms, meeting rooms, and collaborative workspaces. Rising a full 24" or 30" above a tabletop or desktop surface, they are tall enough to help protect from sneezes and coughs. Choose a clear version to maintain a line of sight for open communication. Or, select a semi-opaque frosted version to double as a privacy panel for reduced distractions.

Features:

- Creates barriers between people to help safeguard from coughs and sneezes
- Easy assembly with included hardware, tool-free installation
- Sits on tabletops with included tabletop feet
- Clear acrylic panels maintain a clear line of sight for open communication
- Semi-opaque frosted panels enhance privacy and minimize distractions
- Small gap between panel and tabletop allows cables to pass through
- Easy to clean with a microfiber cloth and a solution of mild dish soap and water or commercial plastic cleaners rated safe for use on acrylics.*
- Safe for use with water-soluble dry-erase markers**

Specifications:

- Box includes: 1 panel and 2 clamps (24", 30", and 48" models) or 3 clamps (60" models)
- Panel material: Clear acrylic (24" and 30" tall models) or frosted acrylic (30" tall models)
- Foot material: Powder-coated aluminum and steel
- Panel thickness: 1/4"
- Required tools: Allen wrench (included)



9620 NE Tanasbourne, Dr. Suite 250, Hillsboro, OR 97124


sales@mybinding.com

1-800-944-4573

RECLAIM® Acrylic Sneeze Guard – Freestanding Tabletop/Desk Mount

DIVTT


Perfect for breakroom tables, conference tables, and collaborative workspaces, these panels are easy to install and create effective barriers between employees.




Item #	Item Description
DIVTT-2430F	24" x 30" Frosted Acrylic Divider w/ 2 Tabletop Feet
DIVTT-3030F	30" x 30" Frosted Acrylic Divider w/ 2 Tabletop Feet
DIVTT-4830F	48" x 30" Frosted Acrylic Divider w/ 2 Tabletop Feet
DIVTT-6030F	60" x 24" Frosted Acrylic Divider w/ 3 Tabletop Feet
DIVTT-2430C	24" x 30" Clear Acrylic Divider w/ 2 Tabletop Feet
DIVTT-3030C	30" x 30" Clear Acrylic Divider w/ 2 Tabletop Feet
DIVTT-4830C	48" x 30" Clear Acrylic Divider w/ 2 Tabletop Feet
DIVTT-6030C	60" x 30" Clear Acrylic Divider w/ 3 Tabletop Feet
DIVTT-2424C	24" x 24" Clear Acrylic Divider w/ 2 Tabletop Feet
DIVTT-3024C	30" x 24" Clear Acrylic Divider w/ 2 Tabletop Feet
DIVTT-4824C	48" x 24" Clear Acrylic Divider w/ 2 Tabletop Feet
DIVTT-6024C	60" x 24" Clear Acrylic Divider w/ 3 Tabletop Feet




DIVTT-CLAMP




DIVTT-2424C




DIVTT-3024C




DIVTT-4824C




DIVTT-6024C




DIVTT-2430C



DIVTT-3030C



DIVTT-4830C



DIVTT-6030C



Frosted acrylic panel also available

IMPORTANT WARNINGS:

***Proper Care and Cleaning of Acrylic – PLEASE READ BEFORE INSTALLING:** Acrylic sheeting can be damaged by harsh solvents and cleaners. Only use cleaning products labeled “commercial plastic cleaners”, or mild soap and water to remove dirt and debris. When applying the cleaner, use a non-abrasive lint-free or microfiber cloth that won't scratch the surface. Never use products containing ammonia, acetone, carbon tetrachloride, scouring compounds, alcohol, bleach, aromatics, or gasoline. Chemical glass cleaners (even if they are environmentally friendly, organic, or non-scented) are also not to be used. All solvents need to be wiped clean with fresh water and blotted dry to reduce and prevent water spotting. Failure to adhere to the above guidelines can cause yellowing, cracks, and scratches in acrylic sheeting and may give the surface a frosted appearance. It will also void the Limited Warranty – our Limited Warranty does not apply to any damage caused by or the result of improper cleaning, handling, installation, operation, maintenance, pressure washing, accident, fire, natural disaster, explosion, abuse, vandalism, chlorine, chemicals from sprinkler systems, or other external forces. This warranty shall be null and void if any harmful solvents are used to clean.

****Use of Dry-Erase Markers:** Water-soluble dry-erase markers are safe for use on these acrylic panels. Other forms of dry-erase markers are not recommended because they will be difficult to erase and could possibly leave stains and ghosting.



9620 NE Tanasbourne, Dr. Suite 250, Hillsboro, OR 97124

sales@mybinding.com

1-800-944-4573